

System Security

Data Execution Prevention ▶ Disabled
SVM CPU Virtualization Disabled

F10=Accept, ESC=Cancel

OS Power Management

Idle Power Savings	▶Normal
Runtime Power Management	Disabled
Unique Sleep State Blink Rates	Disabled

F10=Accept, ESC=Cancel

Hardware Power Management

SATA Power Management	▶ Disabled
S5 Maximum Power Savings	Disabled
PCI Express x16 Slot 1	ASPM Disabled
PCI Express x1 Slot 1	ASPM Disabled
Network Controller	ASPM Disabled
USB 3.0 Controller	ASPM Disabled

F10=Accept, ESC=Cancel

Thermal

Fan Idle Mode ▶*****

F10=Accept, ESC=Cancel

Power-On Options

POST Mode	▶FullBoot
POST Messages	Enabled
Press the ESC key for Startup Menu	Enabled
Option ROM Prompt	Enabled
After Power Loss	Off
POST Delay (in seconds)	5 Seconds
Remote Wakeup Boot Source	Local Hard Drive
Bypass F1 Prompt on Configuration Changes	Disabled

F10=Accept, ESC=Cancel

Onboard Devices

Serial Port A ▶ Disabled

F10=Accept, ESC=Cancel

Bus Options

PCI SERR# Generation	▶ Enabled
PCI VGA Palette Snooping	Disabled

F10=Accept, ESC=Cancel

Device Options

Printer Mode	▶EPP+ECP
Num Lock State at Power-On	Off
Integrated Graphics	Force
UMA Frame buffer Size	64M
Internal Speaker	Disabled
NIC Option ROM Download	Disabled

F10=Accept, ESC=Cancel